





OPTIMIZATION OF DISTRICT HEATING WITH FOCUS ON DRAG REDUCING ADDITIVES

Maksym Kotenko, PhD Student Department of Energy Technology, AAU




Drag reducing additives





- Polymers
- Fibers
- Surfactants






Drag Reducing Additives



Formation of surfactant based DRAs






3rd international conference on SMART ENERGY SYSTEMS AND 4TH GENERATION DISTRICT HEATING Copenhagen, 12-13 September 2017

Reformation of surfactants after break








3rd international conference on SMART ENERGY SYSTEMS AND 4TH GENERATION DISTRICT HEATING Copenhagen, 12-13 September 2017

DRA working principle












Large scale test in Herning














Large Scale test in Sapporo Japan












Heat transfer reduction









Methods of enhancing HTR



- Modify inner surface of heat exchanger
- Temporal degradation of surfactant structures
 - i. insertion of small destructive devices
 - ii. ultrasonic energy to destroy surfactants
 - iii. photorheological surfactants



Intentional mechanical degradation of surfactants











Photo reversible surfactant












Test rig in Aalborg University







Equipment List			
Displayed Text	Description	Manufacturer	Model
Pump	Multistage,centrifugal	Grundfos	CR 10-9 A-A-A-E- HQQE
Tank	Open tank		
Flowmeter	Ultrasonic	Burkert	Type 8081
Differential pressure sensor	Piezoresistive	HF Jensen	PDS 0-0.3



Theoretical study



$$DR = \frac{f_w - f_s}{f_w} \cdot 100\%$$

$$HTR = \frac{Nu_w - Nu_s}{Nu_w} \cdot 100\%$$



Future scope of work



- Carry out tests of new surfactant
- Complete theoretical investigation of heat transfer reduction of DRAs





Thank you for your attention

Contact details: mko@et.aau.dk

